




# INTERPUMPGROUP

I GB	ISTRUZIONI D'USO INSTRUCTIONS FOR USE	F D	MODE D'EMPLOI BEDIENUNGSANLEITUNG	E P	INSTRUCCIONES DE USO INSTRUÇÕES DE USO
---------	--	--------	--------------------------------------	--------	---

Questo manuale deve essere letto e compreso in accordo al libretto generico "Istruzioni d'uso e manutenzione".  
 This manual must be read and followed in accordance with the generic "Instructions for Use and Maintenance" booklet.  
 Ce manuel doit être lu et compris en accord avec la notice générale " Mode d'emploi et d'entretien ".  
 Dieses Handbuch ist in Verbindung mit dem allgemeinen Handbuch " Gebrauchs- und Wartungsanleitung " zu lesen und zu verstehen.  
 Este manual debe leerse y comprenderse de acuerdo con el manual general "Instrucciones de uso y mantenimiento"  
 Este manual deve ser lido e interpretado de acordo com o livro genérico "Instruções de uso e manutenção"



## 44

Modello Model Modèle Modell Modelo	Portata Flow rate Débit Förderstrom Caudal Fluxo		Pressione Pressure Pression Druck Presión Pressão			g/m rpm t/m upm r/m r/m	Potenza Power Puissance Leistung Potencia Poder		Peso Weight Poids Gewicht Peso Peso		
	L/min	gpm	bar	MPa	psi		Hp	kW	Kg	Ibs	
W150	8	2.11	150	15	2175	1450	3.0	2.20	7.9	17.4	0.4
W130	9.5	2.11	130	13	1885	1450	3.0	2.20	7.9	17.4	0.4
W130HH	9.5	2.11	130	13	1885	1450	3.0	2.20	7.9	17.4	0.4
W170	9.5	2.50	170	17	2465	1450	4.0	2.94	7.9	17.4	0.4
W112	12	2.50	100	10	1450	1450	3.0	2.20	7.7	17.0	0.4
W140	12	3.17	140	14	2030	1450	4.0	2.94	7.7	17.0	0.4
W140HH	12	3.17	140	14	2030	1450	4.0	2.94	7.7	17.0	0.4
W200	12	3.17	200	20	2900	1450	6.0	4.41	7.7	17.0	0.4
W97	14	3.69	90	9	1300	1450	3.0	2.20	7.7	17.0	0.4
W124	14	3.69	120	12	1750	1450	4.0	2.94	7.7	17.0	0.4
W154	14	3.69	150	15	2175	1450	5.5	4.04	7.7	17.0	0.4
W154HH	14	3.69	150	15	2175	1450	5.5	4.04	7.7	17.0	0.4
W204	14	3.69	200	20	2900	1450	7.3	5.37	7.7	17.0	0.4
W950	9.5	2.50	165	16.5	2400	1750	4.0	2.94	7.9	17.4	0.4
W951	11.5	3.04	103	10.3	1500	1750	3.0	2.20	7.9	17.4	0.4
W952	11.5	3.04	138	13.8	2000	1750	4.0	2.94	7.9	17.4	0.4
W953	11.5	3.04	172	17.2	2500	1750	5.0	3.67	7.9	17.4	0.4
W954	13.6	3.60	90	9	1300	1750	3.0	2.20	7.7	17.0	0.4
W955	13.6	3.60	117	11.7	1700	1750	4.0	2.94	7.7	17.0	0.4
W956	13.6	3.60	145	14.5	2100	1750	5.0	3.67	7.7	17.0	0.4
W14200	13.6	3.60	200	20	2900	1750	7.0	5.14	7.7	17.0	0.4
W957	15.9	4.20	76	7.6	1100	1750	3.0	2.20	7.7	17.0	0.4
W958	15.9	4.20	96	9.6	1400	1750	4.0	2.94	7.7	17.0	0.4
W959	15.9	4.20	124	12.4	1800	1750	5.0	3.67	7.7	17.0	0.4
W16180	15.9	4.20	180	18	2610	1750	7.5	5.51	7.7	17.0	0.4

# SERIES



**44**
**Modello  
Model  
Modèle  
Modell  
Modelo  
Modelo**
**Portata  
Flow rate  
Débit  
Förderstrom  
Caudal  
Fluxo**
**Pressione  
Pressure  
Pression  
Druck  
Presión  
Pressão**
**g/m  
rpm  
t/m  
upm  
r/m  
r/m**
**Potenza  
Power  
Puissance  
Leistung  
Potencia  
Poder**
**Peso  
Weight  
Poids  
Gewicht  
Peso  
Peso**
**S  
E  
R  
I  
E  
S**

L/min

gpm

bar

MPa

psi

Hp

kW

Kg

lbs

Lt.

WW186

13

3.43

180

18

2610

2800

5.5

4.04

7.9

17.4

0.4

WW206

13

3.43

200

20

2900

2800

7.5

5.51

7.9

17.4

0.4

WW116

15

3.96

110

11

1600

2800

4.0

2.94

7.9

17.4

0.4

WW156

15

3.96

150

15

2175

2800

5.5

4.04

7.9

17.4

0.4

WW209

15

3.96

200

20

2900

2800

7.5

5.51

7.9

17.4

0.4

WW189

16

4.22

180

18

2610

2800

7.5

5.51

7.9

17.4

0.4

WW136

17

4.50

130

13

1885

2800

5.5

4.04

7.9

17.4

0.4

WW176

17

4.50

170

17

2465

2800

7.5

5.51

7.9

17.4

0.4

WW963

11

2.90

250

25

3600

3400

7.5

5.51

8.7

19.2

0.4

WW964

13

3.43

250

25

3600

3400

8.5

6.25

8.7

19.2

0.4

WW960

13.2

3.48

172

17.2

2500

3400

5.5

4.04

8.7

19.2

0.4

WW961

15

3.96

172

17.2

2500

3400

6.5

4.77

8.7

19.2

0.4

WW965

15

3.96

250

25

3600

3400

10

7.35

8.7

19.2

0.4

WW962

17.4

4.60

172

17.2

2500

3400

7.5

5.51

8.7

19.2

0.4